(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5 Revision date: 12/05/2021 Page 1 of 8 Print date: 12/05/2021

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name:

Smart Cleaning Stone

1.2 Relevant identified uses of the mixture and uses advised against.

Household cleaning products.

1.3 Details of the supplier of the safety data sheet.

Company:	Smart Microfiber System AB
Address:	Albybergsringen 5, S- 137 69 Österhaninge
Telephone:	+46 (0)8-449 24 70
Fax:	+36 62 221 364
E-mail:	info@smartmicro-ber.se
Web:	www.smartmicro-ber.se

1.4 Emergency telephone number: +46 10 456 6700

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

2.2 Label elements.

P statements:

P101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.

Ingredients: less than 5% non-ionic surfactant, soap. Further ingredients: perfume (Limonene, Linalool).

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	specific concentration limit
CAS No: 57-55-6 EC No: 200-338-0 Registration No: 01- 2119456809-23-XXXX	[1] Propylene glycol	2.5 - 10 %	-	-
CAS No: 61789-30-8 EC No: 263-049-9	Fatty acids, coco, potassium salts	1 - 10 %	Eye Irrit. 2, H319 - Skin Irrit. 2, H315	-

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5

Revision date: 12/05/2021

Page 2 of 8 Print date: 12/05/2021

Index No: 011-005- 00-2 CAS No: 497-19-8 EC No: 207-838-8 Registration No: 01- 2119485498-19-XXXX	sodium carbonate	1 - 10 %	Eye Irrit. 2, H319	-
CAS No: 68439-50-9 EC No: 500-213-3 Registration No: 01- 2119487984-16-XXXX	Alcohols, C12-14, ethoxylated	0.1 - 1 %	Acute Tox. 4, H302 - Aquatic Chronic 3, H412 - Eye Dam. 1, H318	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[1] Substance with a Community workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing.

Ingestion.

Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5 Revision date: 12/05/2021

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

The contaminated area should be immediately cleaned with an appropriate de-contaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended: For personal protection, see section 8. In the application area, smoking, eating, and drinking must be prohibited. Follow legislation on occupational health and safety. Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided. Keep away from oxidising agents and from highly acidic or alkaline materials. Store the containers between 5 and 35° C, in a dry and well-ventilated place. Store according to local legislation. Observe indications on the label. The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Household cleaning products.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
Propylene glycol	57-55-6	United Kingdom [1]	Eight hours	150 (total vapour and particulares)	474 (total vapour and particulares) 10 (particulates)
			Short term		

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
Propylene glycol	DNEL	Inhalation, Long-term, Local effects	10
CAS No: 57-55-6	(Workers)		(mg/m ³)

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5

Revision date: 12/05/2021

EC No: 200-338-0	DNEL	Inhalation, Long-term, Systemic effects	168
	(Workers)		(mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Uses: Image: Characteristics: Particle filter mask QCE> marking, category III. Made of filtering material, it covers nose, mouth and chin. CCI> marking, category III. Made of filtering material, it covers nose, mouth and chin. CR standards: EN 149 Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. Observations: Does not protect work re unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. Filter Type needed: P2 Hand protection: PPE: PPE: Protective gloves against chemicals. Characteristics: «CE> marking, category III. CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420 Maintenance: Do to make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Prestore: Protective goggles against particle impacts. Characteristics: «CE> marking, category II. Eve protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: be disinfected periodically following the manufacturer's instr	Concentration:	100 %
PFE: Particle filter mask «CE» marking, category III. Made of filtering material, it covers nose, mouth and chin. CEN standards: EN 149 Maintenance: Should be replaced after use. Observations: Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. Filter Type needed: P2 Hand protection: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Doservations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material thickness Observations: Alve goggles against particle impacts. Characteristics: «CE» marking, category III. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be districted periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scra		
Characteristics: wCE* marking, category III. Made of filtering material, it covers nose, mouth and thin. CEN standards: EN 149 Maintenance: Deck for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. Observations: Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. Filter Type needed: P2 Hand protection: PPE: Protective gloves against chemicals. Characteristics: CEN marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time is the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Characteristics: «CE» marking, category III. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors		
Characteristics: chin, c	PPE:	
Maintenance: Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. Observations: Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. Filter Type needed: P2 Hand protection: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Doservations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Almaterial: PVC (polyvinyl chloride) Breakthrough time (min.): 480 Material thickness 0,35 Eye protection: Protective goggles against particle impacts. (min.): (min.): (min.): PPE: Protective goggles against particle impacts. (min.): (min.): (min.): Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: Protective clothing. (CE» marking, category II. Fy protector against dust and smoke. (min.): CEN standards: EN 166, E	Characteristics:	
Maintenance: should be replaced after use. Observations: Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. Filter Type needed: P2 Hand protection: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Breakthrough time and (min.): PPE: Protective goggles against particle impacts. Characteristics: «CE» marking, category II. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be for the user's movements. CEN standards: EN 260 marking, category II. Protective clouting should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protector, follow the washing and maintenance instructions	CEN standards:	EN 149
Observations: suitable use of the equipment. Filter Type needed: P2 Hand protection: PPE: PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. Construction: Construction: Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material thickness Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (CE» marking, category II. Eye protector against dust and smoke. CEN standards: EN 165, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the len	Maintenance:	should be replaced after use.
Hand protection: PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hads. Material thickness PVC (polyvinyl chloride) Breakthrough time impacts. Characteristics: «CE» marking, category II. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE: Protective colthing. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing. The protectectothing should offer a level of comfort in line		suitable use of the equipment.
PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material thickness (mm): PVC (polyvinyl chloride) Breakthrough time (mi): > 480 PPE: Protective goggles against particle impacts. (CE» marking, category II. Eve protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 (Sibervations.) Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: Protective clothing. PPE: Protective clothing. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. PPE: Work footwear.		P2
Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time importances. (mm): 0,35 Eye protection: Protective goggles against particle impacts. 0,35 Characteristics: «CE» marking, category II. Eye protector against dust and smoke. Import the import of the lenses, stould be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. PPE: Protective clothing. CE» marking, category II. Protective clothing should not be too tight or loose in order not to subartuct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of		
Maintenance: Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35 Eye protection: Protective goggles against particle impacts. Material thickness (mm): 0,35 CEN standards: EN 165, EN 166, EN 167, EN 168 Ifor, EN 168 Ifor, EN 168, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, scraping etc. Skin protection: PPE: Protective clothing. Characteristics: CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should		
Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): PPE: Protective goggles against particle impacts. Material thickness (mm): 0,35 Characteristics: EN 165, EN 166, EN 167, EN 168 Image: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Shin protection: Protective cothing. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. Characteristics: CE> marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided in observations: Observations: EX 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacture	CEN standards:	
Observations: Always use with clean, dry hands. Material Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (mm): 0,35 Eye protection: Protective goggles against particle impacts. Material thickness 0,35 CEN standards: EN 165, EN 166, EN 167, EN 168 If 7, EN 168 If 7, EN 168 If 7, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CEN standards: EN 150 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: EN 150 13287, EN 20	Maintenance:	Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or
PMaterial: PVC (polyviny) chloride) (min.): > 480 (mm): 0,35 Eye protection: PPE: Protective goggles against particle impacts. (mm): 0,35 CEN standards: EN 165, EN 166, EN 167, EN 168 (min.): 0 (min.): 0 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. CEN standards: EN 340 (min.): 0 CH standards: EN 340 (min.): 0 (min.): PPE: Protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CE* marking, category II. CEN standards: EN 150 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other peo	Observations:	
PPE: Protective goggles against particle impacts. Characteristics: «CE» marking, category II. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN 1SO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.	Material:	
Characteristics: «CE» marking, category II. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE: Protective clothing. CAracteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: EN 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at pro	Eye protection:	
Maintenance:Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.Skin protection:Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.CEN standards:EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.PPE:Work footwear. CE» marking, category II. CEN standards:PPE:Work footwear. This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.Observations:EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.		
Maintenance: be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE: Protective clothing. CCB> marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	EN 165, EN 166, EN 167, EN 168
Observations: scraping etc. Skin protection: PPE: PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	be disinfected periodically following the manufacturer's instructions.
Skin protection: PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:	
PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Skin protection:	
Characteristics:«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.CEN standards:EN 340Maintenance:In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.PPE:Work footwear.Characteristics:«CE» marking, category II.CEN standards:EN ISO 13287, EN 20347Maintenance:This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		Protective clothing.
CEN standards:EN 340Maintenance:In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.PPE:Work footwear.Characteristics:«CE» marking, category II.CEN standards:EN ISO 13287, EN 20347Maintenance:This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:	
Maintenance: the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	
Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	the manufacturer.
Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:	terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level
CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:	Work footwear.
Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		
Observations Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	not be used by other people.
	Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5 Revision date: 12/05/2021 Page 5 of 8 Print date: 12/05/2021

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: N.A./N.A. Colour: white Odour: lemone Odour threshold: N.A./N.A. pH:9,5 - 10,5 (10%) Melting point: N.A./N.A. Boiling Point: N.A./N.A. Flash point: > 100 °C Evaporation rate: N.A./N.A. Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density:1,5 - 1,8 Solubility: N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A. Partition coefficient (n-octanol/water): N.A./N.A. Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A. Viscosity: N.A./N.A. Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A. N.A./N.A.= Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Dropping point: N.A./N.A. Blink: N.A./N.A. Kinematic viscosity: N.A./N.A. N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Unstable in contact with: - Acids.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with acids.

10.4 Conditions to avoid.

- Avoid contact with acids.

10.5 Incompatible materials.

Avoid the following materials:

- Acids.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products: - Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

There are no tested data available on the product.

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5 Revision date: 12/05/2021 Page 6 of 8 Print date: 12/05/2021

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin. Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Sodium carbonate LD50 (oral, rat) > 2800 mg/kg LC50 (Inhalive, rat) = 2,3 mg/l LC50 (dermal, rabit) = 2,3 mg/l

Alcohols, C12-C14, ethoxilated LD50 (oral, rat) > 1200 mg/kg

b) skin corrosion/irritation; Based on available data, the classification criteria are not met.

c) serious eye damage/irritation; Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present. No information is available on the degradability of the substances present.No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
Propylene glycol		-0,92	_	_	Very low
CAS No: 57-55-6	EC No: 200-338-0	-0,92	-	-	veryiow

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5

Revision date: 12/05/2021

Page 7 of 8 Print date: 12/05/2021

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13 DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue: 15 WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED 15 01 packaging (including separately collected municipal packaging waste) 15 01 02 plastic packaging

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number.

Transportation is not dangerous.

14.2 UN proper shipping name.

 Description:

 ADR:
 Transportation is not dangerous.

 IMDG:
 Transportation is not dangerous.

 ICAO/IATA:
 Transportation is not dangerous.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

(in accordance with Regulation (EU) 2015/830)

Smart Cleaning Stone

Version: 5 Revision date: 12/05/2021 Page 8 of 8 Print date: 12/05/2021

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3 Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Skin Irrit. 2 : Skin irritant, Category 2

Changes regarding to the previous version:

- Modification in the values of the physical and chemical properties (SECTION 9).

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.

Log Pow: Logarithm of the partition octanol-water.

NOEC: No observed effect concentration.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.